





### SWISSFLOCK LOOSE FLOCK

# FOR AUTOMOTIVE APPLICATIONS

#### **Dimontonate USA LLC**

120 Exchange Logistics Park Drive Unit A Piedmont, SC 29673

Tel +1 (864) 729 4440 Fax +1 (864) 232 2852 www.dimontonateusa.com

#### **Dimontonate Floccati SpA**

Via Dante Alighieri 40 21020 Montonate di Mornago VA Italy Tel +39 0331 270164 Fax +39 0331 906016 www.dimontonate.it



# Company History

- ☐ Dimontonate Floccati was established in 1973 as Montonate S.pA., a privately owned company to develop innovative and luxury packaging systems as flocked plastics and paper materials.
- □ In 2010, Dimontonate USA LLC was created as a commercial company fully controlled by Dimontonate Floccatti, in order to secure its position on the US market and support the local customer's needs.
- ☐ In 2011, a strategic exit from flocked textile materials was completed to focus on the automotive and luxury packaging industries.
- ☐ In 2018, Dimontonate USA started distribution of SwissFlock fibers for North America.
- □In 2019, Dimontonate USA started distribution of SwissFlock fibers for South America.
- ☐ In 2021, Dimontonate Floccati Spa acquired 100% shares of SwissFlock AG.



# Application of Flock

- ☐ Die cut part, injection molded parts such as door and window seals
- Interior application (door panels, glove boxes, center consoles)







## SwissFlock Product Range

SwissFlock AG_product range and applications																				
Automotive				fibre dimension					luster							tec	hnical i	nforma	tion	
		ents	middle console	Polymer	count		lenght			1										
					dtex	den	min	max	Spundyed Black	Semi Dull	Dull	Full Dull	Trilobal	Bright	flock feeling cards	flock colour cards	MSDS	user guide	Dtex/den vs fibre diameter	skin contact
rubber sealing	glove box	door compartments					m	ım												
5				Polyester	1.7	1.5	0.30	0.75	<b>ý</b>								-			
*				Polye	3.3	3.0	0.30	0.80	ž											
																		4	5	5
	<b>%</b>	7	<b>%</b>	_	1.5	1.4	0.30	0.70				<b>%</b>			*		4			
4	<b>%</b>	7	4	Polyamid	1.7	1.5	0.30	1.00	5 5	7										
*	%	<b>%</b>	4		3.3	3.0	0.30	1.50		4		5				<u>"</u>	7			
	4				6.7	6.0		1.00		4					1_		1			



### Product Range

#### Flock differs for:

### Type of fiber

- **PES** Polyester fiber
- **PA** Polyamide 66 fiber

### Titer and pile height:

- > From 1,7 to 6,7 dTex
- > From 0,5 to 1,5 mm





# THANK YOU FOR YOUR ATTENTION. WE APPRECIATE THE OPPORTUNITY TO EARN YOUR BUSINESS.



#### **Dimontonate USA LLC**

120 Exchange Logistics Park Drive Unit A Piedmont, SC 29673

> Tel +1 (864) 729 4440 Fax +1 (864) 232 2852 www.dimontonateusa.com

#### **Dimontonate Floccati SpA**

Via Dante Alighieri 40 21020 Montonate di Mornago VA Italy Tel +39 0331 270164 Fax +39 0331 906016 www.dimontonate.it